

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of:	)	ATTY.'S DOCKET: KAHL=6
	)	Art Unit:
Helmut KAHL	)	
	)	Examiner:
Appln. No.: 10/501,541	)	
	)	Washington, D.C.
Date Filed: July 16, 2004	)	
	)	Confirmation No. 4483
For: LASER PROTECTION SCREEN	)	
	)	August 25, 2009

**SECOND COMMUNICATION RE ERROR ON PAIR RECORDS**

Honorable Commissioner for Patents  
Customer Service Window  
Randolph Building, Mail Stop t  
401 Dulany Street  
Alexandria, VA 22314  
Sir:

Further the Communication filed on September 9, 2007, the PTO PAIR records with regard to continuity information of the above-identified application still incorrectly indicate that the PCT application of which this application is a U.S. national stage was filed on December 12, 2002, instead of the correct date of December 3, 2002. Review of the application data sheet and declaration/power of attorney originally filed in the PTO with the present application clearly supports the date of December 3, 2002. A copy of the ADS as originally filed is attached hereto.

As a notice of allowance was mailed on August 20, 2009, immediate correction of the PTO records is respectfully and urgently requested to insure that any patent which may grant from this application is printed properly.

Respectfully submitted,  
BROWDY AND NEIMARK, P.L.L.C.  
Attorneys for Applicant

By /Ronni S. Jillions/  
Ronni S. Jillions  
Registration No. 31,979

RSJ:me  
Telephone No.: (202) 628-5197  
Facsimile No.: (202) 737-3528  
G:\BN\H\HANE\kahl6\pto\2009-08-25COMMUNICATION.doc